




HC 03 Box 30040 Aguada, PR 00602
787-868-5598 | www.ezcadlab.com

Dr. Name _____ Dr. Phone# _____
Address _____
Email Address _____ Patient Male Female
Date Written _____

Enclosed # _____ Shade Tab _____ Shade Tab _____ Impression _____
Articulator _____ Bite _____ Photos _____
Crown _____
Other: _____


Instructions



Single Units Bridge


If No Occlusal Clearance:
 Adjust Opposing Phone Call
 Reduction Coping Make this permanent preference

Shade Instructions: Shade _____
Slump Shade _____





Occlusal Staining: _____
 ___ None ___ Light ___ Medium ___ Dark

Pontics (circle preference)



Margin & Metal Design



PFM Crowns

- Non-Precious Captek
- Non-Precious Ni-Free HN White
- Semi-Precious HN Yellow

Zirconia / Ceramic / Provisionals

- Monolithic Zirconia IPS E.Max
- Layered Zirconia Acrylic Temps
- Katana - Aesthetic PMMA Milled Temps

Full-Cast Crowns

- Non-Precious HN White
- Ni-Free HN Yellow
- Semi-Precious

Post Core

- One Piece Separate

Night Guards / Mouthguards

- Hard Night Guard Sport Mouthguard Clear
- Soft Night Guard Sport Mouthguard Color
- Hard/Soft Night Guard Specify Colors on RX


Dentures / Flexible Partial

- Denture Flipper/Acrylic/Flexi Clasp
- Metal Mesh Denture Flipper/Acrylic Partial
- Lucitone 199 TCS Valplast Partial
- Custom Tray TCS Valplast Metal Combo
- Bite Rim Finish Set Up & Finish
- Try-in Try-in


Acrylic Tissue Shade / Valplast Tissue Shade

- Pink Med Meharry Dark Meharry

Abutment Emergence Profile



Abutment Margin Depth



Indicate Implant System

- Implant Abutment**
- Authentic Parts Screw Retained Milled Titanium
 - Generic Parts Cementable Ti - Base
 - Stock Abutment Hybrid Zirconia

Implant Design Options

- Crowns Bridge
- Screw Retained Cementable
- Fixed Hybrid Denture Over Denture w/ Locator
- Call Doctor to Discuss Design

Cast Partials

- Standard Vitallium 2000
- Frame Try-In Frame with Bite Rim
- Frame with Setup Process / Finish

Saddle Areas

- Steel Facing Tooth # _____
- Metal Dummy
- Tube Teeth

Rest Areas

- Lab Design Indicated on Diagram

Dr. Signature _____

License # _____